

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-06888
Name of Facility: Jose Marti MAST 6-12 Academy
Address: 5701 W 24 Avenue
City, Zip: Hialeah Gardens 33016

Type: School (more than 9 months)
Owner: M-DCSB Food and Nutrition
Person In Charge: M-DCSB Food and Nutrition Phone: (786) 275-0400
PIC Email: jenrique@dadeschools.net

Inspection Information

Purpose: Routine
Inspection Date: 10/15/2019
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 09:45 AM
End Time: 10:50 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- IN** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- NO 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- IN 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- OUT 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- OUT 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #47. Food & non-food contact surfaces

Issue:
Exit fans in the cafeteria (HVAC Exhaust filter system). Work Order: 10094920. Maintenance Tag or Facility No. F.MO 190. Bldg. # 3. Floor #1. Room # 01.
Pending. Created On: 10/10/2019.
Replace and/or fix HVAC exhaust filter system in Dining area (Bldg. # 3. Floor # 1. Floor # 01.).

Biological built up on HVAC exhaust filter system in:
Storage # 310K.
Storage # 404.
Kitchen' Restroom # 3102J.
Exhaust to the right of the icemaker machine.
Clean HVAC exhaust filter system.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #56. Ventilation & lighting
Biological built upon Hood HVAC exhaust filter system in kitchen (both Hoods).
Clean HVAC exhaust filter system in both Hoods (lateral exhausts).

CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Handwash sink: Water temperature 101°F.
Walk-in-Freezer temperature 0°F.
Walk-in-Cooler temperature 35°F.
Refrigerator temperature 37°F.
Hot-holding: Hot Chicken Wings temperature 142°F.
Hot-holding: Macaroni and cheese temperature 140°F.
Cold-holding: Milk temperature 38°F (from Milk box).
Issue:
Exit fans in the cafeteria (Dining area). Work Order: 100994920. Maintenance Tag or Facility No. F. Mo190. Pending. Bldg. # 3. Floor 1. Room # 01. Created On: 1/10/2019.

Email Address(es): jenriquez@dadeschools.net;
jware@dadeschools.net;
ipalacio@dadeschools.net;
jaybolton@dadeschools.net;
ekubiliun@dadeschools.net

Inspection Conducted By: Alberto Reyes (913936)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 10/15/2019

Inspector Signature:

Client Signature: