

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-06888
 Name of Facility: Marti, Jose MAST 6-12 Academy/ Loc.# 7291
 Address: 5701 W 24 Avenue
 City, Zip: Hialeah Gardens 33016

 Type: School (more than 9 months)
 Owner: M-DCSB Food and Nutrition
 Person In Charge: M-DCSB Food and Nutrition Phone: (786) 275-0400
 PIC Email: jenriquez@dadeschools.net

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 08:30 AM
Inspection Date: 3/16/2021	Number of Repeat Violations (1-57 R): 0	End Time: 09:30 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- IN** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

Er. mail sent to J. Enriquez 03/16/21

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

<p>SAFE FOOD AND WATER</p> <p><u>IN</u> 30. Pasteurized eggs used where required</p> <p><u>IN</u> 31. Water & ice from approved source</p> <p><u>NA</u> 32. Variance obtained for special processing</p> <p>FOOD TEMPERATURE CONTROL</p> <p><u>IN</u> 33. Proper cooling methods; adequate equipment</p> <p><u>IN</u> 34. Plant food properly cooked for hot holding</p> <p><u>IN</u> 35. Approved thawing methods</p> <p><u>IN</u> 36. Thermometers provided & accurate</p> <p>FOOD IDENTIFICATION</p> <p><u>IN</u> 37. Food properly labeled; original container</p> <p>PREVENTION OF FOOD CONTAMINATION</p> <p><u>IN</u> 38. Insects, rodents, & animals not present</p> <p><u>IN</u> 39. No Contamination (preparation, storage, display)</p> <p><u>IN</u> 40. Personal cleanliness</p> <p><u>IN</u> 41. Wiping cloths: properly used & stored</p> <p><u>IN</u> 42. Washing fruits & vegetables</p> <p>PROPER USE OF UTENSILS</p> <p><u>IN</u> 43. In-use utensils: properly stored</p> <p><u>IN</u> 44. Equipment & linens: stored, dried, & handled</p> <p><u>IN</u> 45. Single-use/single-service articles: stored & used</p>	<p><u>IN</u> 46. Slash resistant/cloth gloves used properly</p> <p>UTENSILS, EQUIPMENT AND VENDING</p> <p><u>IN</u> 47. Food & non-food contact surfaces</p> <p><u>IN</u> 48. Ware washing: installed, maintained, & used; test strips</p> <p><u>IN</u> 49. Non-food contact surfaces clean</p> <p>PHYSICAL FACILITIES</p> <p><u>IN</u> 50. Hot & cold water available; adequate pressure</p> <p><u>IN</u> 51. Plumbing installed; proper backflow devices</p> <p><u>IN</u> 52. Sewage & waste water properly disposed</p> <p><u>IN</u> 53. Toilet facilities: supplied, & cleaned</p> <p><u>IN</u> 54. Garbage & refuse disposal</p> <p><u>OUT</u> 55. Facilities installed, maintained, & clean</p> <p><u>OUT</u> 56. Ventilation & lighting</p> <p><u>IN</u> 57. Permit; Fees; Application; Plans</p>
---	--

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #55. Facilities installed, maintained, & clean Stain on ceiling' panel in Kitchen, intersecting left wall, behind ENTRANCE door by Line # 3. Replace stained ceiling' panel.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>
<p>Violation #56. Ventilation & lighting Dust/dirt on HVAC exhaust ventilation system Infront of: Line # 1. Line # 2. Line # 3. Room # 3102D (Dry Storage). Clean exhaust ventilation system.</p> <p>Dysfunctional light bulb (not working): One (1) light bulb behind Line # 3. Replace light bulb.</p> <p>CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Ar

Client Signature:

E-mail sent to J. Enriquez 03/16/21

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Inspection done during COVID-19.
Jose M. Enriquez (Principal).
Marcia Reyes (Cafeteria Manager), assisted with inspection.
Handwash sink: Water temperature 118°F.
Walk-in-Freezer temperature -3°F.
Walk-in-Cooler temperature 35°F.
Refrigerator temperature 37°F.
Cold-holding: Milk temperature 37°F (milk box).
Hot-holding: Oriental rice temperature 182°F.
Hot-holding: Chicken-Teriyaki temperature 186°F.
Hot-holding: Sweet potatoes fries temperature 145°F.

Email Address(es): jenriquez@dadeschools.net;
sbuttacavoli@dadeschools.net;
317972@dadeschools.net;
ipalacio@dadeschools.net;
jware@dadeschools.net;
jaybolton@dadeschools.net

Inspection Conducted By: Alberto Reyes (913936)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 3/16/2021

Inspector Signature:

Handwritten signature of the inspector, appearing to be "AR".

Client Signature:

E-mail sent to J. Enriquez. 03/16/21